


/ Descriptions

/ Features

/ Applications

/ Equivalent Circuit



/ Pinning




/  $h_{FE}$  Classifications & Marking

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|  |  |  |  |  |




# / Electrical Characteristic Curve




/ Package Dimensions

T0-92LM

Unit: mm



/ Marking Instructions



(     ) / Temperature Profile for Dip Soldering(Pb-Free)



/ Resistance to Soldering Heat Test Conditions

/ Packaging SPEC.

| 封装形式 | 包装数量 |     |     |     |     | 包装尺寸        : |   |   |
|------|------|-----|-----|-----|-----|---------------|---|---|
|      | 只 袋  | 袋 盒 | 只 盒 | 盒 箱 | 只 箱 | 袋             | 盒 | 箱 |
|      |      |     |     |     |     |               |   |   |

| 封装形式 | 包装数量 |      |       |     |     | 包装尺寸        : |          |
|------|------|------|-------|-----|-----|---------------|----------|
|      | 只 纸带 | 纸带 盒 | 纸带层 盒 | 盒 箱 | 只 箱 | 盒             | 箱        |
|      |      |      |       |     |     |               | 小箱<br>大箱 |

/ Notices