

/ Descriptions

N

/ Features


≤

≤


/ Applications

DC-DC

/ Equivalent Circuit



/ Pinning



/ Marking

/ Absolute Maximum Ratings(Ta=25 )

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |




/ Electrical Characteristics(Ta=25 )

|  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |

/ Electrical Characteristics(Ta=25 )

|  |  |      |  |  |  |  |
|--|--|------|--|--|--|--|
|  |  |      |  |  |  |  |
|  |  |      |  |  |  |  |
|  |  |      |  |  |  |  |
|  |  |      |  |  |  |  |
|  |  |      |  |  |  |  |
|  |  |      |  |  |  |  |
|  |  | A/μs |  |  |  |  |
|  |  |      |  |  |  |  |

## / Electrical Characteristic Curve



## / Electrical Characteristic Curve




Figure 7: Gate Charge Characteristics Figure 8: Capacitance Characteristics




Figure 9: Maximum Forward Biased Safe

Operating Area





Figure 10: Normalized Maximum Transient Thermal Impedance


## / Package Dimensions

SOT-23

单位: ㎎ ㎎



/ Marking Instructions



[illegible] $\pm$  $\pm$ 

## / Packaging SPEC.

|  |            |                 |                 |                       |                 |      |           |           |     |
|--|------------|-----------------|-----------------|-----------------------|-----------------|------|-----------|-----------|-----|
|  |            |                 |                 |                       |                 |      |           |           |     |
|  | Units/Reel | Reels/Inner Box | Units/Inner Box | Inner Boxes/Outer Box | Units/Outer Box | Reel | Inner Box | Outer Box | IBM |