







			℃
			℃

		℃				
		℃				
		℃				
		℃				







单位: mm

Dimensions In Millimeters		Dimensions In Millimeters			
Symbol	Min	Max	Symbol	Min	Max
A	4.30	4.70	E _L	0.00	0.00
B	1.00	1.40	e1	2.34	2.34
b	0.70	0.90	e2	4.88	4.88
b2	0.10	0.60	L2	2.25	2.25
C	1.20	1.40	L3	1.20	1.20
D	9.80	10.20			

T0-263



Temperature Profile for IR Reflow Soldering(Pb-Free)



℃

封装形式	包装数量					包装尺寸		
	Units/Reel 只/卷盘	Reels/Inner Box 卷盘/盒	Units/Inner Box 只/盒	Inner Boxes/Outer Box 盒/箱	Units/Outer Box 只/箱	Reel	Inner Box 盒	Outer Box 箱
TO-263	800	1	800	6	48,000	13 ×24	360×360×50	385×335×366

封装形式	包装数量					包装尺寸		
	Units/Tube 只/套管	Tubes/Inner Box 套管/盒	Units/Inner Box 只/盒	Inner Boxes/Outer Box 盒/箱	Units/Outer Box 只/箱	Tube 套管	Inner Box 盒	Outer Box 箱
TO-263	50	20	1,000	5	5,000	532×33×7.0	555×164×50	575×290×180